




MADE IN GERMANY
CE / ISO 9001

2023
product catalog




LARYNGOSCOPY

GERMAN TECHNOLOGY

 RG Medical USA, Inc. |  15065 Lebanon Road, Suite 201 Old Hickory, TN 37138 USA

 615-269-7256 ·  615-269-4605

www.rgmed.com



03 Handles

04 Round cup forceps with Handle L-001-01

05 Round cup forceps with Handle AA

06 Oval cup forceps with Handle L-001-01

- Oval cup forceps with Handle AA

07 Suction Tube mountable on the handle

- Triangular with Handle L-001-01

08 Triangular with Handle AA

09 Grasping forceps with Handle L-001-01

10 Grasping forceps with Handle AA

- Suction tube mountable on the handle

11 Scissors with Handle L-001-01

12 Scissors with Handle AA

- 13** Round cup forceps Kleinsasser with Suction channel
- 14** Vocal cord spreader, Needle holder, Shaft curved forceps
- 15** Grasping forceps
- 16** Cutting forceps, complete matt finish with suction channel
- Grasping forceps fine serrated, complete matt finish
- 17** Grasping forceps with Laser-Suction channel
- Rotatable - Laryngo instruments
- 18** Monopolar HF - instruments
- Flexible grasping ans forceps dor laryngo-fiberscope
 - Grasping and biopsy forceps for Slendoscope

2023

Product catalog

www.rgmed.com



Art. N°
L-001-01



Art. N°
L-001-02



Art. N°
L-001-03

Round cup forceps with Handle L-001-01



**Shape with conical Tube
Shaft 0 3,0 -2.0mm**

Shape with conical Tube Shaft 0 3,0 -2.0mm	Lenght	Diameter	Art. N°
Round cup, jaw straight	230 mm	1,0 mm	L-001-04S
Round cup, jaw upwards	230 mm	1,0 mm	L-001-04U
Round cup, jaw right angled	230 mm	1,0 mm	L-001-04R
Round cup, jaw left angled	230 mm	1,0 mm	L-001-04L
Round cup, jaw straight	180 mm	1,0 mm	L-002-04S
Round cup, jaw upwards	180 mm	1,0 mm	L-002-04U
Round cup, jaw right angled	180 mm	1,0 mm	L-002-04R
Round cup, jaw left angled	180 mm	1,0 mm	L-002-04L
Round cup, jaw straight	250 mm	2,0 mm	L-003-05S
Round cup, jaw upwards	250 mm	2,0 mm	L-003-05U
Round cup, jaw right angled	250 mm	2,0 mm	L-003-05R
Round cup, jaw left angled	250 mm	2,0 mm	L-003-05L
Round cup, jaw straight	230 mm	3,0 mm	L-004-06S
Round cup, jaw upwards	230 mm	3,0 mm	L-004-06U
Round cup, jaw right angled	230 mm	3,0 mm	L-004-06R
Round cup, jaw left angled	230 mm	3,0 mm	L-004-06L
Round cup, jaw straight	230 mm	4,0 mm	L-005-07S
Round cup, jaw upwards	230 mm	4,0 mm	L-005-07U
Round cup, jaw right angled	230 mm	4,0 mm	L-005-07R
Round cup, jaw left angled	230 mm	4,0 mm	L-005-07L
Round cup, jaw straight	230 mm	5,0 mm	L-006-08S

Round cup forceps with Handle AA



Shape with conical Tube Shaft 0 3,0 -2.0mm	Lenght	Diameter	Art. N°
Round cup, jaw straight	230 mm	1,0 mm	AA10-1S
Round cup, jaw upwards	230 mm	1,0 mm	AA10-1U
Round cup, jaw right angled	230 mm	1,0 mm	AA10-1R
Round cup, jaw left angled	230 mm	1,0 mm	AA10-1L
Round cup, jaw straight	180 mm	1,0 mm	AA15-1S
Round cup, jaw upwards	180 mm	1,0 mm	AA15-1U
Round cup, jaw right angled	180 mm	1,0 mm	AA15-1R
Round cup, jaw left angled	180 mm	1,0 mm	AA15-1L
Round cup, jaw straight	250 mm	2,0 mm	AA10-2S
Round cup, jaw upwards	250 mm	2,0 mm	AA10-2U
Round cup, jaw right angled	250 mm	2,0 mm	AA10-2R
Round cup, jaw left angled	250 mm	2,0 mm	AA10-2L
Round cup, jaw straight	230 mm	3,0 mm	AA10-3S
Round cup, jaw upwards	230 mm	3,0 mm	AA10-3U
Round cup, jaw right angled	230 mm	3,0 mm	AA10-3R
Round cup, jaw left angled	230 mm	3,0 mm	AA10-3L
Round cup, jaw straight	230 mm	4,0 mm	AA10-4S
Round cup, jaw upwards	230 mm	4,0 mm	AA10-4U
Round cup, jaw right angled	230 mm	4,0 mm	AA10-4R
Round cup, jaw left angled	230 mm	4,0 mm	AA10-4L
Round cup, jaw straight	230 mm	5,0 mm	AA10-5S

With conical shaft and irrigation port

Oval cup forceps with Handle L-001-01



Shape with conical Tube Shaft 0 3,0 -2.0mm	Lenght	Diameter	Art. N°
Oval cup, jaw straight	230 mm	2,0 mm	LAR18-2S
Oval cup, jaw straight	230 mm	3,0 mm	LAR18-3S
Oval cup, jaw straight	230 mm	4,0 mm	LAR18-4S
Oval cup, jaw straight angeld	230 mm	2,0 mm	LAR18-2U
Oval cup, jaw straight angeld	230 mm	3,0 mm	LAR18-3U
Oval cup, jaw straight angeld	230 mm	4,0 mm	LAR18-4U

Oval cup forceps with Handle AA



Shape with conical Tube Shaft 0 3,0 -2.0mm	Lenght	Diameter	Art. N°
Oval cup, jaw straight	230 mm	2,0 mm	AA18-2S
Oval cup, jaw straight	230 mm	3,0 mm	AA18-3S
Oval cup, jaw straight	230 mm	4,0 mm	AA18-4S
Oval cup, jaw straight angeld	230 mm	2,0 mm	AA18-2U
Oval cup, jaw straight angeld	230 mm	3,0 mm	AA18-3U
Oval cup, jaw straight angeld	230 mm	4,0 mm	AA18-4U

Suction Tube mountable on the handle



The suction tube can be ordered separately

Art. N°
L-001-04

Triangular with Handle L-001-01



**Shape with conical Tube
Shaft Ø 3,0 -2.0mm**

Lenght

Diameter

Art. N°

Triangular, jaw straight
Triangular, jaw right angled
Triangular, jaw left angled
Triangular, jaw upwards
Triangular, jaw straight
Triangular, jaw right angled
Triangular, jaw left angled
Triangular, jaw upwards

230 mm
230 mm
230 mm
230 mm
230 mm
230 mm
230 mm
230 mm

2,0 mm
2,0 mm
2,0 mm
2,0 mm
3,0 mm
3,0 mm
3,0 mm
3,0 mm

LART10-2S
LART10-2R
LART10-2L
LART10-2U
LART10-3S
LART10-3R
LART10-3L
LART10-3U

Triangular with Handle AA



**Shape with conical Tube
Shaft 0 3,0 -2.0mm**

Lenght


Diameter

Art. N°

Triangular, jaw straight	230 mm	2,0 mm	AA110-2S
Triangular, jaw right andled	230 mm	2,0 mm	AA110-2R
Triangular, jaw left angled	230 mm	2,0 mm	AA110-2L
Triangular, jaw upwards	230 mm	2,0 mm	AA110-2U
Triangular, jaw straight	230 mm	3,0 mm	AA110-3S
Triangular, jaw right angled	230 mm	3,0 mm	AA110-3R
Triangular, jaw left angled	230 mm	3,0 mm	AA110-3L
Triangular, jaw upwards	230 mm	3,0 mm	AA110-3U

Other Tube diameter upon request available

Grasping forceps with Handle L-001-01



Shape with conical Tube Shaft 0 3,0 -2.0mm	Lenght	Diameter	Art. N°
Straight, fine serrated	230 mm	1,0 mm	LAR20-1S
Left curved, fine serrated	230 mm	1,0 mm	LAR20-1L
Right curved, fine serrated	230 mm	1,0 mm	LAR20-1R
Straight, fine serrated	180 mm	1,0 mm	LAR25-1S
Left curved, fine serrated	180 mm	1,0 mm	LAR25-1L
Right curved, fine serrated	180 mm	1,0 mm	LAR25-1R
Straight jaw, fine serrated	230 mm	2,0 mm	LAR20-2S
Upwards curved jaw , fine serrated	230 mm	2,0 mm	LAR20-2U
Left curved, fine serrated	230 mm	2,0 mm	LAR20-2L
Right curved, fine serrated	230 mm	2,0 mm	LAR20-2R
Straight, fine serrated	180 mm	2,0 mm	LAR25-2S
Left curved, fine serrated	180 mm	2,0 mm	LAR25-2L
Right curved, fine serrated	180 mm	2,0 mm	LAR25-2R
Straight jaw, fine serrated	230 mm	3,0 mm	LAR20-3S
Upwards curved jaw , fine serrated	230 mm	3,0 mm	LAR20-3U
Left curved, fine serrated	230 mm	3,0 mm	LAR20-3L
Right curved, fine serrated	230 mm	3,0 mm	LAR20-3R
Straight, alligator teeth	230 mm	2,0 mm	LAR23-2S
Straight, alligator teeth	230 mm	3,0 mm	LAR23-3S

Other Tube diameter upon request available

Grasping forceps with Handle AA



Shape with conical Tube Shaft 0 3,0 -2.0mm

Shape with conical Tube Shaft 0 3,0 -2.0mm	Length	Diameter	Art. N°
Straight, fine serrated	230 mm	1,0 mm	AA20-1S
Left curved, fine serrated	230 mm	1,0 mm	AA20-1L
Right curved, fine serrated	230 mm	1,0 mm	AA20-1R
Straight, fine serrated	180 mm	1,0 mm	AA25-1S
Left curved, fine serrated	180 mm	1,0 mm	AA25-1L
Right curved, fine serrated	180 mm	1,0 mm	AA25-1R
Straight jaw, fine serrated	230 mm	2,0 mm	AA20-2S
Upwards curved jaw , fine serrated	230 mm	2,0 mm	AA20-2U
Left curved, fine serrated	230 mm	2,0 mm	AA20-2L
Right curved, fine serrated	230 mm	2,0 mm	AA20-2R
Straight, fine serrated	180 mm	2,0 mm	AA25-2S
Left curved, fine serrated	180 mm	2,0 mm	AA25-2L
Right curved, fine serrated	180 mm	2,0 mm	AA25-2R
Straight jaw, fine serrated	230 mm	3,0 mm	AA20-3S
Upwards curved jaw , fine serrated	230 mm	3,0 mm	AA20-3U
Left curved, fine serrated	230 mm	3,0 mm	AA20-3L
Right curved, fine serrated	230 mm	3,0 mm	AA20-3R
Straight, alligator teeth	230 mm	2,0 mm	AA23-2S
Straight, alligator teeth	230 mm	3,0 mm	AA23-3S


Suction Tube mountable on the handle



The suction tube can be ordered separately

Art. N°
L-001-05

Scissors with Handle L-001-01



**Shape with conical Tube
Shaft 0 3,0 -2.0mm**

Shape	Lenght	Diameter	Art. N°
Straight	230 mm	1,0 mm	LAR30-1S
Left curved	230 mm	1,0 mm	LAR30-1L
Right curved	230 mm	1,0 mm	LAR30-1R
Straight,	180 mm	1,0 mm	LAR35-1S
Left curved	180 mm	1,0 mm	LAR35-1L
Right curved	180 mm	1,0 mm	LAR35-1R
Straight	250 mm	2,0 mm	LAR30-2S
Left curved	250 mm	2,0 mm	LAR20-2L
Right curved	250 mm	2,0 mm	LAR20-2R
Straight	230 mm	3,0 mm	LAR30-3S
Left curved	230 mm	3,0 mm	LAR30-3L
Right curved	230 mm	3,0 mm	LAR30-3R



Shape	Lenght	Diameter	Art. N°
45° angled curved	230 mm	3,0 mm	LAR45-3U

Scissors with Handle AA



**Shape with conical Tube
Shaft 0 3,0 -2.0mm**

	Lenght	Diameter	Art. N°
Straight	230 mm	1,0 mm	AA30-1S
Left curved	230 mm	1,0 mm	AA30-1L
Right curved	230 mm	1,0 mm	AA30-1R
Straight,	180 mm	1,0 mm	AA35-1S
Left curved	180 mm	1,0 mm	AA35-1L
Right curved	180 mm	1,0 mm	AA35-1R
Straight	250 mm	2,0 mm	AA30-2S
Left curved	250 mm	2,0 mm	AA20-2L
Right curved	250 mm	2,0 mm	AA20-2R
Straight	230 mm	3,0 mm	AA30-3S
Left curved	230 mm	3,0 mm	AA30-3L
Right curved	230 mm	3,0 mm	AA30-3R



Shape	Lenght	Diameter	Art. N°
45° angled curved	230 mm	3,0 mm	A45-3U


Round cup forceps Kleinsasser with Suction channel



**Shape with conical Tube
Shaft 0 3,0 -2.0mm**

	Length	Diameter	Art. N°
Round cup, Straight	230 mm	2,0 mm	LAR40-2S
Round cup, Upwards	230 mm	2,0 mm	LAR40-2U
Round cup, Left	230 mm	2,0 mm	LAR40-2L
Round cup, Right	230 mm	2,0 mm	LAR40-2R
Round cup, Straight	230 mm	4,0 mm	LAR40-4S
Round cup, Upwards	230 mm	4,0 mm	LAR40-4U
Round cup, Left	230 mm	4,0 mm	LAR40-4L
Round cup, Right	230 mm	4,0 mm	LAR40-4R

Vocal cord spreader, Needle holder, Shaft curved forceps



Art. N°
LAR 95-20

Shape with conical Tube Shaft 0 3,0 -2.0mm	Lenght	Shaft Diameter	Art. N°
Vocal cord spreader diameter 4,5	250 mm	2,0 mm	LAR70-20
Larynx-, Alligator jaw shaft 80° downwards	260 mm	2,0 mm	LAR90-20
Larynx-forceps, round jaw 45° shaft 80° downwards	260 mm	2,0 mm	LAR96-20
Larynx-, Alligator jaw shaft 80° downwards	260 mm	2,0 mm	LAR95-20
Needle holder forceps with ratchet handle	250 mm	2,0 mm	LAR100-20



Art. N°
LAR70-20

Grasping forceps



Art. N°
LAR50-1



Art. N°
LAR50-2



Art. N°
LAR50-3



Art. N°
LAR50-4



Art. N°
LAR50-5

**Shape with conical Tube
Shaft Ø 3,0 -2.0mm**

Shape with conical Tube Shaft Ø 3,0 -2.0mm	Length	Diameter	Art. N°
Fine serrated, small	230 mm	2,0 mm	LAR50-1
Alligator	230 mm	3,5 mm	LAR50-2
Alligator long	230 mm	3,5 mm	LAR50-3
Alligator wide, fenestrated	230 mm	3,5 mm	LAR50-4
Alligator extra wide, fenestrated	230 mm	3,5 mm	LAR50-5

Cutting forceps, complete matt finish with suction channel



Shape	Lenght	Jaw Diameter	Art. N°
Round cup, Straight	230 mm	2,0 mm	LAR200-2S
Round cup, Upwards	230 mm	2,0 mm	LAR200-2U
Round cup, Right angled	230 mm	2,0 mm	LAR200-2R
Round cup, Left angled	230 mm	2,0 mm	LAR200-2L
Round cup, Straight	230 mm	4,0 mm	LAR200-4S
Round cup, Upwards	230 mm	4,0 mm	LAR200-4U
Round cup, Right angled	230 mm	4,0 mm	LAR200-4R
Round cup, Left angled	230 mm	4,0 mm	LAR200-4L

Grasping forceps fine serrated, complete matt finish

Shape	Lenght	Jaw Diameter	Art. N°
Fine serrated, Straight	230 mm	2,0 mm	LAR210-2S
Fine serrated, Right angled	230 mm	2,0 mm	LAR210-2R
Fine serrated, Left angled	230 mm	2,0 mm	LAR210-2L
Fine serrated, Straight	230 mm	4,0 mm	LAR210-4S
Fine serrated, Right angled	230 mm	4,0 mm	LAR210-4R
Fine serrated, Left angled	230 mm	4,0 mm	LAR210-4L

That shaft is conically reinforced from distal to proximal end.

Grasping forceps with Laser-Suction channel



Shape	Lenght	Shaft Diameter	Art. N°
Alligator Short	230 mm	3,0 mm	LAR60-1
Alligator long	230 mm	3,5 mm	LAR60-2
Alligator wide, fenestrated	230 mm	3,5 mm	LAR60-3

Rotatable- Laryngo instruments



Shape with conical Tube Shaft 0 3,0 -2.0mm	Lenght	Diameter	Art. N°
Round jaw, right curved	230 mm	2,0 mm	LAR10R-2
Grasping forceps, double action, curved	230 mm	2,0 mm	LAR20R-2
Grasping forceps, triangular, right	230 mm	2,0 mm	LAR28R-2
Grasping forceps, 45° up curved	230 mm	2,0 mm	LAR29R-2
Scissors right curved	230 mm	2,0 mm	LAR30R-2

That shaft is conically reinforced from distal to proximal end.

Monopolar HF- Instruments



Shape	Lenght	Shaft Diameter	Art. N°
Grasping forceps	230 mm	2,0 mm	LAR80HF-1
Curved	230 mm	2,0 mm	LAR80HF-2
Wide jaw, fenestrated	230 mm	2,0 mm	LAR80HF-3
Oval cup forceps, double action	230 mm	2,0 mm	LAR80HF-4

Complete with isolated shaft, handle and irrigation port
Demountable in three parts - shaft, handle and insert.

Flexible grasping and Biopsy Forceps for Laryngo-Fiberscope

Shape	Lenght	Jaw Diameter	Art. N°
Grasping forceps	600 mm	1,0 mm	LAR220-10
Grasping forceps	600 mm	1,7 mm	LAR220-17
Round jaw	600 mm	1,0 mm	LAR221-10
Round jaw	600 mm	1,7 mm	LAR221-17

SIALENDOSCOPE

Grasping and Biopsy Forceps for Sialendoscope

Shape	Lenght	Shaft Diameter	Art. N°
Biopsy forceps	270 mm	0,8 mm	BR1108FS-27
Grasping forceps	270 mm	0,8 mm	BR2108FS-27
Biopsy forceps	300 mm	0,8 mm	BR1108FS-30
Grasping forceps	300 mm	0,8 mm	BR2108FS-30



GERMAN THECNOLOGY
CE / ISO 9001