


■ 2026
Produktkatalog



Monopolare und Bipolare Elektroden

Entwickelt und hergestellt in Deutschland

BIPOLAR RG

Kompatibel mit Storz



Schneideschlinge, retrograd 30°



- | | | |
|-------------------------------------|-----------|-----------|
| ☐ | 19 Ch./Fr | U1-400-19 |
| ☒ | 22 Ch./Fr | U1-400-22 |
| ☒ | 24 Ch./Fr | U1-400-24 |

Schneidschleife gerade



- | | | |
|-------------------------------------|-----------|-----------|
| ☐ | 19 Ch./Fr | U1-402-19 |
| ☒ | 22 Ch./Fr | U1-402-22 |
| ☒ | 24 Ch./Fr | U1-402-24 |

Schneideschlinge, retrograd 0°



- | | | |
|-------------------------------------|-----------|-----------|
| ☐ | 19 Ch./Fr | U1-403-19 |
| ☒ | 22 Ch./Fr | U1-403-22 |
| ☒ | 24 Ch./Fr | U1-403-24 |

Messerelektrode



- | | | |
|-------------------------------------|-----------|-----------|
| ☐ | 19 Ch./Fr | U1-400-19 |
| ☒ | 22 Ch./Fr | U1-406-22 |
| ☒ | 24 Ch./Fr | U1-406-24 |

Rollenelektrode 3 mm



- | | | |
|-------------------------------------|-----------|-----------|
| ☐ | 19 Ch./Fr | U1-400-19 |
| ☒ | 22 Ch./Fr | U1-408-22 |
| ☒ | 24 Ch./Fr | U1-408-24 |

Rollenelektrode 5 mm



- | | | |
|-------------------------------------|-----------|-----------|
| ☒ | 22 Ch./Fr | U1-410-22 |
| ☒ | 24 Ch./Fr | U1-410-24 |

Walzenelektrode 3 mm



- | | | |
|-------------------------------------|-----------|-----------|
| ☐ | 19 Ch./Fr | U1-400-19 |
| ☒ | 22 Ch./Fr | U1-414-22 |
| ☒ | 24 Ch./Fr | U1-414-24 |

Rollen-Zylinderelektrode, 5 mm



- | | | |
|-------------------------------------|-----------|-----------|
| ☒ | 22 Ch./Fr | U1-415-22 |
| ☒ | 24 Ch./Fr | U1-415-24 |

Elektrodenschneidschlinge, dick



- | | | |
|-------------------------------------|-----------|-----------|
| ☒ | 22 Ch./Fr | U1-418-22 |
| ☒ | 24 Ch./Fr | U1-418-24 |

Pilzelektrode



- | | | |
|-------------------------------------|-----------|-----------|
| ☐ | 19 Ch./Fr | U1-400-19 |
| ☒ | 22 Ch./Fr | U1-416-22 |
| ☒ | 24 Ch./Fr | U1-416-24 |

Enukleationselektrode



- | | | |
|-------------------------------------|-----------|-----------|
| ☐ | 19 Ch./Fr | U1-400-19 |
| ☒ | 22 Ch./Fr | U1-419-22 |
| ☒ | 24 Ch./Fr | U1-419-24 |

Konuselektrodeone



- | | | |
|-------------------------------------|-----------|-----------|
| ☒ | 22 Ch./Fr | U1-420-22 |
| ☒ | 24 Ch./Fr | U1-420-24 |

Enukleationselektrode zum Vorwärtsschieben



- | | | |
|-------------------------------------|-----------|-----------|
| ☒ | 24 Ch./Fr | U1-421-24 |
|-------------------------------------|-----------|-----------|

Verdampfung, gezahnt, 3 mm



- | | | |
|-------------------------------------|-----------|-----------|
| ☒ | 22 Ch./Fr | U1-422-22 |
| ☒ | 24 Ch./Fr | U1-422-24 |

Gleichmäßige Verdampfung, 3 mm



- | | | |
|-------------------------------------|-----------|-----------|
| ☒ | 22 Ch./Fr | U1-424-22 |
| ☒ | 24 Ch./Fr | U1-424-24 |

*Product details and images are displayed for advertising purposes and are for illustrative purposes only.

MONOPOLAR RG

Kompatibel mit Storz



Schneideschlinge, retrograd 30°



■ 24 Ch./Fr. U1-200-24

Schneidschleife gerade



■ 24 Ch./Fr. U1-202-24

Schneideschlinge, retrograd 0°



■ 24 Ch./Fr. U1-203-24

Messerelektrode



■ 24 Ch./Fr. U1-206-24

Rollenelektrode 3 mm



■ 24 Ch./Fr. U1-208-24

Walzenelektrode 3 mm



■ 24 Ch./Fr. U1-210-24

Piizelektrode



■ 24 Ch./Fr. U1-218-24

Elektrodenschneidschlinge, dick



■ 24 Ch./Fr. U1-223-24

3-mm-Rollen-Spike-Elektrode



■ 24 Ch./Fr. U1-220-24

5-mm-Rollen-Spike-Elektrode



■ 24 Ch./Fr. U1-222-24

*Product details and images are displayed for advertising purposes and are for illustrative purposes only.

2 STEM - MONOPOLAR ELECTRODES

Kompatibel mit Storz



Schneideschlinge, retrograd 30°



24Ch./Fr U1-200-24S

Schneidschleife gerade



24Ch./Fr U1-202-24S

Schneideschlinge, retrograd 0°



24Ch./Fr U1-203-24S

Messerelektrode



24Ch./Fr U1-206-24S

Rollenelektrode 3 mm



24Ch./Fr U1-208-24S

Walzenelektrode 3 mm



24Ch./Fr U1-210-24S

Pilzelektrode



24Ch./Fr U1-218-24S

Elektrodenschneidschlinge, dick



24Ch./Fr U1-223-24S

3-mm-Rollen-Spike-Elektrode



24Ch./Fr U1-220-24S

5-mm-Rollen-Spike-Elektrode



24Ch./Fr U1-222-24S

*Product details and images are displayed for advertising purposes and are for illustrative purposes only.

2-STEM - BIPOLAR ELECTRODES

Kompatibel mit Storz



Doppelte Schneidschlinge



■ 24 Ch./Fr.

UI-404-24DS

Einfache Schneidschlinge



■ 24 Ch./Fr.

UI-420-24DS

Kugelförmige Verdampfungselektrode



■ 24 Ch./Fr.

UI-404-24DS

Vaporisationselektrode zur Enukleation



■ 24 Ch./Fr.

UI-419-24DS

*Product details and images are displayed for advertising purposes and are for illustrative purposes only.

RG - GINECOLOGY

Kompatibel mit Storz



Schneideschlinge, retrograd 30°



15 Fr.	U1-200-15
17 Fr.	U1-200-17
19 Fr.	U1-200-19
22 Fr.	U1-400-22
24 Fr.	U1-400-24

Schneidschlaufe gerade



15 Fr.	U1-202-15
17 Fr.	U1-202-17
19 Fr.	U1-202-19
22 Fr.	U1-402-22
24 Fr.	U1-402-24

Retrograd geschnittene Bandelektrode



17 Fr.	U1-204-17
19 Fr.	U1-204-19
22 Fr.	U1-404-22
24 Fr.	U1-404-24

Messerelektrode



15 Fr.	U1-206-15
17 Fr.	U1-206-17
19 Fr.	U1-206-19
22 Fr.	U1-406-22
24 Fr.	U1-406-24

Rollenelektrode 3 mm



17 Fr.	U1-208-17
19 Fr.	U1-208-19
22 Fr.	U1-408-22
24 Fr.	U1-408-24

Rollenelektrode 5 mm



17 Fr.	U1-209-17
19 Fr.	U1-209-19
22 Fr.	U1-409-22
24 Fr.	U1-409-24

*Product details and images are displayed for advertising purposes and are for illustrative purposes only.

WOLF MONOPOLAR



Schneideschlinge, retrograd 30°



■ 24Ch./Fr U1-400-24W

WOLF BIPOLAR



Schneideschlinge, retrograd 30°



■ 24Ch./Fr U1-200-24W

Schneidschleife gerade



■ 24Ch./Fr U1-202-24W

Schneideschlinge, retrograd 0°



■ 24Ch./Fr U1-203-24W

Messerelektrode



■ 24Ch./Fr U1-206-24W

Rollenelektrode 3 mm



■ 24Ch./Fr U1-208-24W

Walzenelektrode 3 mm



■ 24Ch./Fr U1-210-24W

Mushroom



■ 24Ch./Fr U1-218-24W

Elektrodenschneideschlinge,
dick



■ 24Ch./Fr U1-223-24W

3-mm-Rollen-Spike-Elektrode



■ 24Ch./Fr U1-220-24W

*Los detalles del producto y las imágenes se muestran con fines publicitarios y tienen únicamente fines ilustrativos.

OLYMPUS MONOPOLAR



Schneideschlinge, retrograd 30°



■ 24 Ch./Fr. U1-200-24OL

Schneidschleife gerade



■ 24 Ch./Fr. U1-202-24OL

Schneideschlinge, retrograd 0°



■ 24 Ch./Fr. U1-203-24OL

Messerelektrode



■ 24 Ch./Fr. U1-206-24OL

Rollenelektrode 3 mm



■ 24 Ch./Fr. U1-208-24OL

3-mm-Walzenelektrode



■ 24 Ch./Fr. U1-210-24OL

Pilzelektrode



■ 24 Ch./Fr. U1-218-24OL

Elektrodenschneidschlinge, direkt



■ 24 Ch./Fr. U1-223-24OL

3-mm-Rollen-Spike-Elektrode



■ 24 Ch./Fr. U1-220-24OL

4-mm-Rollen-Spike-Elektrode



■ 24 Ch./Fr. U1-222-24OL

*Product details and images are displayed for advertising purposes and are for illustrative purposes only.

OLYMPUS BIPOLAR



Schneideschlinge, retrograd 30°



24 Ch./Fr U1-400-24OL

Schneidschlaufe gerade



24 Ch./Fr U1-402-24OL

Schneideschlinge, retrograd 0°



24 Ch./Fr U1-403-24OL

Messerelektrode



24 Ch./Fr U1-406-24OL

Rollenelektrode 3 mm



24 Ch./Fr U1-408-24OL

Rollenelektrode 5 mm



24 Ch./Fr U1-410-24OL

Walzenelektrode 3 mm



24 Ch./Fr U1-414-24OL

Rollen-Zylinderelektrode, 5 mm



24 Ch./Fr U1-415-24OL

Elektrodenschneidschlinge, dick



24 Ch./Fr U1-418-24OL

Pilzelektrode



24 Ch./Fr U1-416-24OL

Enukleationselektrode



24 Ch./Fr U1-419-24OL

Konuselektrodeone



24 Ch./Fr U1-420-24OL

Enukleationselektrode zum Vorwärtsschieben



24 Ch./Fr U1-422-24OL

Verdampfung, gezahnt, 3 mm



24 Ch./Fr U1-424-24OL

Gleichmäßige Verdampfung, 3 mm



24 Ch./Fr U1-426-24OL

*Product details and images are displayed for advertising purposes and are for illustrative purposes only.